Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	2	("20040160898").PN.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/07/05 15:10
L3	0	("2004/0160898").URPN.	USPAT	ADJ	ON	2007/07/05 15:10
L4	0	370/536.clas. and (@ad<="20030305" or @pd<="20030305" or @rlan<="20030305" or @rlad<="20030305" or @rlpn<="20030305")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/05 15:13
L5	0	370/536.clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/05 15:11
L6	0	370/311.clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/05 15:11
L7	. 288	370/536.ccls. and (@ad<="20030305" or @pd<="20030305" or @rlan<="20030305" or @rlad<="20030305" or @rlpn<="20030305")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/05 15:13
LB LB	411	370/311.ccls. and (@ad<="20030305" or @pd<="20030305" or @rlan<="20030305" or @rlad<="20030305" or @rlpn<="20030305")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/05 15:13
L9	2615	370/252.ccls. and (@ad<="20030305" or @pd<="20030305" or @rlan<="20030305" or @rlad<="20030305" or @rlad<="20030305" or @rlpn<="20030305")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/05 15:14
L10	168	370/542.ccls. and (@ad<="20030305" or @pd<="20030305" or @rlan<="20030305" or @rlad<="20030305" or @rlad<="20030305" or @rlpn<="20030305")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/05 15:15

144		(112024/0160200112 LIDDA	LICDAT	ADT	ON:	2007/07/05 45 44
L11	0	("2004/0160898").URPN.	USPAT	AD3	ON	2007/07/05 15:14
L17	1192	713/320.ccls. and (@ad<="20030305" or @pd<="20030305" or @rlan<="20030305" or @rlad<="20030305" or @rlpn<="20030305")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON .	2007/07/05 15:17
L18	781	713/322.ccls. and (@ad<="20030305" or @pd<="20030305" or @rlan<="20030305" or @rlad<="20030305" or @rlpn<="20030305")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/05 15:17
S1	11682	(@ad<="20030305" or @pd<="20030305" or @rlan<="20030305" or @rlad<="20030305" or @rlpn<="20030305") and ((clock near2 supply) or (clock near (component or circuit or module or unit or element))) same (power)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/03 07:41
S2	480	(@ad<="20030305" or @pd<="20030305" or @rlan<="20030305" or @rlad<="20030305" or @rlpn<="20030305") and ((clock near2 supply) or (clock near (component or circuit or module or unit or element))) same ((save or ((turn or shut) near2 off) or spare or conserv\$5) near3 power)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/03 07:46
S3	70	(@ad<="20030305" or @pd<="20030305" or @rlan<="20030305" or @rlad<="20030305" or @rlad<="20030305") and ((clock near2 supply) or (clock near (component or circuit or module or unit or element))) same ((save or ((turn or shut) near2 off) or spare or conserv\$5) near3 power) and ("370" or "709" or "710" or "455" or "700").clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/03 07:55
S4	262	(@ad<="20030305" or @pd<="20030305" or @rlan<="20030305" or @rlan<="20030305" or @rlad<="20030305" or @rlpn<="20030305") and ((clock near2 supply) or (clock near (component or circuit or module or unit or element))) same ((save or ((turn or shut) near2 off) or spare or conserv\$5) near3 power) and ("370" or "709" or "710" or "455" or "700" or "340" or "327" or "377" or "713").clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/03 09:37

		*				
S5	. 52	(@ad<="20030305" or @pd<="20030305" or @rlan<="20030305" or @rlan<="20030305" or @rlad<="20030305" or @rlpn<="20030305") and ((clock near2 supply) or (clock near (component or circuit or module or unit or element))) same ((save or ((turn or shut) near2 off) or spare or conserv\$5) near3 power) and ("370" or "709" or "710" or "455" or "700" or "340" or "327" or "377" or "713").clas. and packet	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/03 08:21
S6	116	(@ad<="20030305" or @pd<="20030305" or @rlan<="20030305" or @rlan<="20030305" or @rlad<="20030305" or @rlpn<="20030305") and ((clock near2 supply) or (clock near (component or circuit or module or unit or element))) same ((save or ((turn or shut) near2 off) or spare or conserv\$5 or stop\$4) near3 (power or clock)) and ("370" or "709" or "710" or "455" or "700" or "340" or "327" or "377" or "713").clas. and packet	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON .	2007/07/03 09:39
S7	210	S4 not S6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/03 09:37
S8	79	(@ad<="20030305" or @pd<="20030305" or @rlan<="20030305" or @rlad<="20030305" or @rlad<="20030305") and ((clock near2 supply) or (clock near (component or circuit or module or unit or element))) same ((save or ((turn or shut) near2 off) or spare or conserv\$5 or stop\$4 or halt\$3 or quit\$4 or end\$3 or block\$3) near3 (power or clock)) and ("370" or "709" or "710" or "455" or "700" or "340" or "327" or "377" or "713").clas. and packet not \$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ .	ON	2007/07/03 09:50

					· · · · · · · · · · · · · · · · · · ·	
S9	119	(@ad<="20030305" or @pd<="20030305" or @rlan<="20030305" or @rlad<="20030305" or @rlpn<="20030305") and ((clock near2 supply) or (clock near (component or circuit or module or unit or element))) same ((save or ((turn or shut) near2 off) or spare or conserv\$5 or stop\$4 or halt\$3 or quit\$4 or end\$3 or block\$3) near3 (power or clock)) and packet not (S6 or S8)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/03 17:19
S10	3	(@ad<="20030305" or @pd<="20030305" or @rlan<="20030305" or @rlad<="20030305" or @rlpn<="20030305") and ((clock near2 supply) or (clock near (component or circuit or module or unit or element))) same ((save or ((turn or shut) near2 off) or spare or conserv\$5 or stop\$4 or halt\$3 or quit\$4 or end\$3 or block\$3) near3 (power or clock)) and packet not (S6 or S8) and (nic or (network near2 interface near2 card))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/03 10:52
S11 .	2	("7032119").PN.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/03 10:53
S12	59	("20020007463" "3275868" "4279020" "4316247" "4317180" "4365290" "4381552" "4398192" "4463440" "4479191" "4509148" "4510398" "4538231" "4545030" "4570219" "4667289" "4677566" "4698748" "4766567" "4780843"	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/07/03 11:01
		"4809163" "4823292" "4835681" "4841440" "4881205" "4907183" "4922450" "4963769" "4968900" "4974180" "4980836" "4991129" "4996706" "5021679" "5025387" "5041964" "5083266" "5119377" "5123107" "5129091" "5151992" "5167024" "5175845" "5201059" "5218704" "5222239" "5247164" "5247213" "5247655" "5249298" "5251320" "5396635" "5666538" "5742833" "6115823" "6324651" "6397340" "6587950").PN.				

C12	20	(20020007462 2277660	LIC DCDLID.	AD3	ON	2007/07/02 10:53
S13	. 39	("20020007463" "3275868"	US-PGPUB;	ADJ	ON	2007/07/03 10:53
		"4279020" "4316247" "4317180"	USPAT;			
'		"4365290" "4381552" "4398192"	USOCR			
		"4463440" "4479191" "4509148"				
		"4510398" "4538231" "4545030"				
		"4570219" "4667289" "4677566" "4600740" "4766567" "47700042"				
		"4698748" "4766567" "4780843" "4999463" "49933993" "49935694"				.]
		"4809163" "4823292" "4835681" "4841440" "4823292" "4835681"				
		"4841440" "4881205" "4907183"			,	
		"4922450" "4963769" "4968900"				
		"4974180" "4980836" "4991129" "4006706" "F021670" "F02F287"				
		"4996706" "5021679" "5025387"				,
		"5041964" "5083266" "5119377"				
		"5123107" "5129091" "5151992"				
		"5167024" "5175845" "5201059" "5218704" "5222220" "5247164"				
		"5218704" "5222239" "5247164" "5247213" "5247655" "5249298"				
		5247213 5247633 5249296 "5251320" "5396635" "5666538"				
1		3231320 3390033 3000336 "5742833" "6115823" "6324651"				
		"6397340" "6587950").PN. and (clock)		•		
		0397340 0307930 J.PN. and (Clock)				
S14	43	("20020007463" "3275868"	US-PGPUB;	ADJ	ON	2007/07/03 11:01
		"4279020" "4316247" "4317180"	USPAT;			
		"4365290" "4381552" "4398192"	USOCR			
		"4463440" "4479191" "4509148"				
		"4510398" "4538231" "4545030"				
		"4570219" "4667289" "4677566"				
		"4698748" "4766567" "4780843"				
		"4809163" "4823292" "4835681"				
		"4841440" "4881205" "4907183"			1	
		"4922450" "4963769" "4968900"				
		"4974180" "4980836" "4991129"				
		"4996706" "5021679" "5025387" .				,
		"5041964" "5083266" "5119377"		1		
		"5123107" "5129091" "5151992" "F167034" "F175845" "F301050"				
		"5167024" "5175845" "5201059" "5318704" "5323330" "5347164"				·
		"5218704" "5222239" "5247164" "5247213" "5247655" "5249298"		· ·		
		5247213 5247633 5249296 "5251320" "5396635" "5666538"				
		"5742833" "6115823" "6324651"				
		"6397340" "6587950").PN. and ((save				
		or ((turn or shut) near2 off) or spare or				. 1
		conserv\$5 or stop\$4 or halt\$3 or quit\$4			1.	
		or end\$3 or block\$3) near3 (power or				
		clock))				
L	I			1	<u></u>	

S15	116	(@ad<="20030305" or	US-PGPUB;	ADJ	ON	2007/07/03 17:19
		@pd<="20030305" or @rlan<="20030305" or @rlad<="20030305" or @rlpn<="20030305") and ((clock near2 supply) or (clock near (component or circuit or module or unit or element))) same ((save or ((turn or shut) near2 off) or spare or conserv\$5 or stop\$4) near3 (power or clock)) and ("370" or "709" or "710" or "455" or "700" or "340" or "327" or "377" or "713").clas. and packet	USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB			
S16	79	(@ad<="20030305" or @pd<="20030305" or @rlan<="20030305" or @rlan<="20030305" or @rlad<="20030305" or @rlpn<="20030305") and ((clock near2 supply) or (clock near (component or circuit or module or unit or element))) same ((save or ((turn or shut) near2 off) or spare or conserv\$5 or stop\$4 or halt\$3 or quit\$4 or end\$3 or block\$3) near3 (power or clock)) and ("370" or "709" or "710" or "455" or "700" or "340" or "327" or "377" or "713").clas. and packet not \$15	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/03 17:19
S17	3	("6728271").PN.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/05 10:14
S18	116	(@ad<="20030305" or @pd<="20030305" or @rlan<="20030305" or @rlan<="20030305" or @rlad<="20030305" or @rlpn<="20030305") and ((clock near2 supply) or (clock near (component or circuit or module or unit or element))) same ((save or ((turn or shut) near2 off) or spare or conserv\$5 or stop\$4) near3 (power or clock)) and ("370" or "709" or "710" or "455" or "700" or "340" or "327" or "377" or "713").clas. and packet	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ĄDJ	ON	2007/07/05 10:55

S19	79	(@ad<="20030305" or @pd<="20030305" or @rlan<="20030305" or @rlan<="20030305" or @rlad<="20030305" or @rlpn<="20030305") and ((clock near2 supply) or (clock near (component or circuit or module or unit or element))) same ((save or ((turn or shut) near2 off) or spare or conserv\$5 or stop\$4 or halt\$3 or quit\$4 or end\$3 or block\$3) near3 (power or clock)) and ("370" or "709" or "710" or "455" or "700" or "340" or "327" or "377" or "713").clas. and packet not \$18	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/05 10:55
S20	316	(@ad<="20030305" or @pd<="20030305" or @rlan<="20030305" or @rlad<="20030305" or @rlad<="20030305") and ((clock near2 supply) or (clock near (component or circuit or module or unit or element))) same ((save or ((turn or shut) near2 off) or spare or conserv\$5 or stop\$4 or halt\$3 or quit\$4 or end\$3 or block\$3) near3 (power or clock)) and packet not (\$18 and \$19)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/05 10:55
S21	8	("4980885" "5640398" "5666355" "5757416" "5923755" "6078783" "6236432" "6275507").PN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2007/07/05 11:12
S22	3879	(@ad<="20030305" or @pd<="20030305" or @rlan<="20030305" or @rlad<="20030305" or @rlpn<="20030305") and ((no) packet)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/05 11:32
S23	2299	(@ad<="20030305" or @pd<="20030305" or @rlan<="20030305" or @rlad<="20030305" or @rlpn<="20030305") and ((no) packet) and "370".clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON ·	2007/07/05 11:32
S24	160	(@ad<="20030305" or @pd<="20030305" or @rlan<="20030305" or @rlad<="20030305" or @rlpn<="20030305") and ((no) packet) with (signal or (turn off)) and "370".clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ .	ON	2007/07/05 11:37

				· · · · · · · · · · · · · · · · · · ·	·	
S25		(@ad<="20030305" or @pd<="20030305" or @rlan<="20030305" or @rlad<="20030305" or @rlpn<="20030305") and (no packet) with ((((turn or shut) near2 off) or spare or conserv\$5 or stop\$4 or halt\$3 or quit\$4 or end\$3 or block\$3) near3 (power or clock)) and "370".clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/05 11:35
S26		(@ad<="20030305" or @pd<="20030305" or @rlan<="20030305" or @rlad<="20030305" or @rlpn<="20030305") and (no packet) with (signa or (((turn or shut) near2 off) or spare or conserv\$5 or stop\$4 or halt\$3 or quit\$4 or end\$3 or block\$3) near3 (power or clock)) and "370".clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/05 11:35
S27	56	(@ad<="20030305" or @pd<="20030305" or @rlan<="20030305" or @rlad<="20030305" or @rlpn<="20030305") and ((no) packet) with receiv\$2 with (signal or (turn off)) and "370".clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/05 14:23
S28	0	(@ad<="20030305" or @pd<="20030305" or @rlan<="20030305" or @rlad<="20030305" or @rlpn<="20030305") and 370/536.clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/05 15:06
S29	0	370/536.clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/05 15:07
S30		370/536.clas.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/07/05 15:07